



1-800-227-0848 www.hospiscript.com

### HOSPISCRIPPT DIAGNOSIS BASED FORMULARY

The Hospiscript Diagnosis Formulary is made up of two components. The Base List includes medications that manage symptoms common to all diagnoses, while the Diagnosis Specific Category medications are used to manage conditions of a particular disease. Together, these two lists represent the formulary for each terminal diagnosis.

**The medications on the base list were selected to manage the following symptoms:**

Agitation	Dry eyes	Gastrointestinal	Pain-Nociceptive
Anorexia	Dry mouth	Hiccups	Potassium depletion
Anxiety	Dry skin	Infection	Pruritus
Chest congestion	Dysphagia	Insomnia	Skin irritation
Constipation	Dyspnea	Muscle spasms	Terminal secretions
Cough	Dysuria	Nausea and Vomiting	Topical infections
Delirium	Fatigue	Oral Candidiasis	
Depression	Fever	Pain-Bone	
Diarrhea	Fluid retention	Pain-Neuropathic	

**MST= Multiple Symptom Therapy**

**BASE LIST**

GENERIC NAME	BRAND NAME EXAMPLES	SYMPTOM CLASSIFICATION	COMMENTS
<b>AGITATION/DELIRIUM</b>			
<b>First line treatment</b>			
Haloperidol	Haldol (DECANOATE REQUIRES AUTH)	Agitation-Typical Antipsychotic	<b>MST:</b> Butyrophenone: Avoid doses of > 2mg/day in LTCF patients.
Chlorpromazine	Thorazine	Agitation-Typical Antipsychotic	<b>MST:</b> Phenothiazine: Sedating, avoid doses > 75mg/day in LTCF. Increased risk of orthostatic hypotension.
Phenobarbital	Luminal	Agitation-Barbiturate	<b>MST:</b> Used for it's sedating affects.
<b>ANOREXIA</b>			
<b>First line treatment</b>			
Prednisone	Deltasone	Anorexia-Corticosteroid	<b>MST:</b> Less expensive than dexamethasone.
Dexamethasone	Decadron	Anorexia-Corticosteroid	<b>MST:</b> More costly but less mineralcorticoid activity/fluid retention than prednisone.
<b>Second line treatment</b>			
Mirtazapine	Remeron	Anorexia-Antidepressant	<b>MST:</b> Increases appetite in doses 7.5 - 15mg.
Metoclopramide	Reglan	Anorexia-Prokinetic Agent	
<b>ANXIETY</b>			
<b>First line treatment</b>			
Lorazepam	Ativan	Anxiety-Benzodiazepine	<b>MST:</b> Tablets are small and can be given sublingually/rectally.
Alprazolam	Xanax (NO XR OR ODT)	Anxiety-Benzodiazepine	<b>MST:</b> Rapid onset, can cause end of dose rebound anxiety.
Diazepam	Valium (NO DIASTAT)	Anxiety-Benzodiazepine	<b>MST:</b> Long half-life-dose no more frequently than q8h and avoid in geriatrics.
Clonazepam	Klonopin	Anxiety-Benzodiazepine	<b>MST:</b> Also beneficial for seizure prevention.
<b>Second line treatment</b>			
Lorazepam Concentrated Oral Soln	Lorazepam Intensol	Anxiety-Benzodiazepine	<b>MST:</b> Intensol expensive-tablets can be given sublingually/rectally.

GENERIC NAME	BRAND NAME EXAMPLES	SYMPTOM CLASSIFICATION	COMMENTS
Diazepam Concentrated Oral Soln	Diazepam Intensol	Anxiety-Benzodiazepine	<b>MST:</b> Intensol expensive-tablets can be given sublingually/rectally.
<b>Third line treatment</b>			
Diphenhydramine	Benadryl	Anxiety-Antihistamine	<b>MST:</b> Use with caution in elderly.
Hydroxyzine	Atarax, Vistaril	Anxiety-Antihistamine	<b>MST:</b> Use with caution in elderly.
<b>CONSTIPATION</b>			
<b>First line treatment</b>			
Docusate Sodium	Colace	Constipation-Stool Softener	Not sufficient as a sole agent in patients on opioids or who do not have adequate fluid intake.
Senna/Docusate Sodium	Senokot S	Constipation-Stimulant and Stool Softener Combination	Maximize dose before adding additional agents (8 tabs/day).
Senna	Senokot	Constipation-Stimulant Laxative	Maximize dose before adding additional agents (8 tabs/day).
Bisacodyl	Dulcolax	Constipation-Stimulant Laxative	Maximize dose before adding additional agents (4 tabs/day).
Magnesium Citrate	Citroma	Constipation-Osmotic Laxative	Saline Laxative-contraindicated in renal failure.
Magnesium Hydroxide Suspension	Milk of Magnesia	Constipation-Osmotic Laxative	Saline Laxative-contraindicated in renal failure.
<b>Second line treatment</b>			
Sorbitol 70% Soln	Sorbitol	Constipation-Osmotic Laxative	More cost effective than lactulose and as effective. Not sufficient as a sole agent in patients on opioids or who do not have adequate fluid intake.
Glycerin Suppository	Glycerin Suppository	Constipation-Osmotic Laxative	
Mineral Oil Enema	Mineral Oil Enema	Constipation-Lubricant	Don't use oral liquid Mineral Oil-aspiration risk. Try Vaseline™ Balls if high or hard impaction present.
Sodium Phosphate Enema	Fleet Enema	Constipation-Osmotic Laxative	Saline Laxative
Polyethylene Glycol	Miralax OTC	Constipation-Osmotic Laxative	Give in 4-8 ounces of liquid.
Petroleum Jelly	Vaseline	Constipation-Lubricant	Vaseline™ Balls-Contact Hospiscript for instructions.
<b>COUGH</b>			
<b>First line treatment</b>			
Guaifenesin Syrup	Robitussin	Cough-Expectorant	Encourage fluid intake for maximum effect.
Guaifenesin SR Tablet	Mucinex	Cough-Expectorant	Encourage fluid intake for maximum effect.
Hydrocodone/Homatropine	Hydromet	Cough-Suppressant	
Guaifenesin/Dextromethorphan	Robitussin DM	Cough-Expectorant/Suppressant	
Guaifenesin/Codeine	Robitussin AC	Cough-Expectorant/Suppressant	Schedule V controlled substance.
<b>Second line treatment</b>			
Benzonatate	Tessalon Perles	Cough-Antitussive	Do not break or chew capsules.
Lidocaine Inj for Nebulization	Xylocaine	Cough-Suppressant	Do not use Epinephrine containing dosage form.
<b>DEPRESSION</b>			
<b>First line treatment</b>			
Methylphenidate	Ritalin ( <b>NO CR</b> )	Depression-Psychostimulant	<b>MST:</b> Drug of choice if patient has < 4-6 weeks life expectancy.
Fluoxetine	Prozac ( <b>NO WEEKLY</b> )	Depression-Selective Serotonin Reuptake Inhibitor	Least expensive SSRI: Least likely to cause withdrawal symptoms when discontinued abruptly.
Citalopram	Celexa	Depression-Selective Serotonin Reuptake Inhibitor	Good choice for depression accompanied by anxiety.
Sertraline	Zoloft	Depression-Selective Serotonin Reuptake Inhibitor	Good choice for depression accompanied by anxiety.
<b>Second line treatment</b>			
Mirtazapine	Remeron	Depression-Atypical	<b>MST:</b> Sedating in doses of 7.5 - 15mg.
Escitalopram	Lexapro	Depression-Selective Serotonin Reuptake Inhibitor	No benefit over first line citalopram.

GENERIC NAME	BRAND NAME EXAMPLES	SYMPTOM CLASSIFICATION	COMMENTS
<b>DIARRHEA</b>			
<b>First line treatment</b>			
Bismuth Subsalicylate	Kaopectate	Diarrhea-Absorbent	Antisecretory and antimicrobial action.
Loperamide	Imodium	Diarrhea-Hypermotility	Available over the counter (OTC).
Diphenoxylate/Atropine	Lomotil	Diarrhea-Hypermotility	Schedule V controlled substance-prescription only.
Psyllium	Metamucil	Diarrhea-Absorbent-Bulk Laxative	For bulking stool
<b>DRY EYES</b>			
<b>First line treatment</b>			
Artificial Tears	Tears Naturale	Dry Eyes-Lubricant	
Ophthalmic Lubricant	Lacri-lube	Dry Eyes-Lubricant	
<b>DYSPHAGIA</b>			
<b>First line treatment</b>			
Thickening Agent	Thick-it	Dysphagia	
<b>DYSPNEA</b>			
<b>First line treatment</b>			
Morphine IR	Roxanol, MSIR	Dyspnea-Opioid	<b>MST:</b> Also an analgesic.
Lorazepam	Ativan	Dyspnea-Benzodiazepine	<b>MST:</b> Treats anxiety component of dyspnea.
Alprazolam	Xanax ( <b>NO XR OR ODT</b> )	Dyspnea-Benzodiazepine	<b>MST:</b> Treats anxiety component of dyspnea.
Diazepam	Valium ( <b>NO DIASTAT</b> )	Dyspnea-Benzodiazepine	<b>MST:</b> Treats anxiety component of dyspnea. Long half-life-dose, no more frequently than q8h and avoid in geriatrics.
<b>Second line treatment</b>			
Oxycodone IR	Oxyfast ( <b>NO SUSTAINED RELEASE</b> )	Dyspnea-Opioid	<b>MST:</b> More expensive than morphine.
Hydromorphone	Dilaudid ( <b>NO XR</b> )	Dyspnea-Opioid	10g/mL injectable expensive but beneficial for subcutaneous administration due to its high potency.
Diazepam Concentrated Oral Soln	Diazepam Intensol	Dyspnea-Benzodiazepine	<b>MST:</b> Expensive-tablets can be given sublingually/rectally.
Lorazepam Concentrated Oral Soln	Lorazepam Intensol	Dyspnea-Benzodiazepine	<b>MST:</b> Expensive-tablets can be given sublingually/rectally.
<b>FATIGUE</b>			
<b>First line treatment</b>			
Methylphenidate	Ritalin ( <b>NO CR</b> )	Fatigue-Psychostimulant	<b>MST:</b> Effect may be short term.
Prednisone	Deltasone	Fatigue-Corticosteroid	<b>MST:</b> Less expensive than dexamethasone.
<b>Second line treatment</b>			
Dexamethasone	Decadron	Fatigue-Corticosteroid	<b>MST:</b> More costly but less mineralocorticoid activity/fluid retention than prednisone.
<b>FEVER</b>			
<b>First line treatment</b>			
Acetaminophen	Tylenol	Fever	<b>MST:</b> Maximum dose = 3 gms/24hrs. Caution for liver patients.
Ibuprofen	Motrin	Fever-Nonsteroidal Anti-Inflammatory Drug	<b>MST:</b> Maximum dose = 3200 mgs/24hrs. Caution for renal patients.
<b>Second line treatment</b>			
Indomethacin	Indocin	Fever-Nonsteroidal Anti-Inflammatory Drug	Potent antipyretic but severe GI and renal adverse effects with prolonged use. Maximum dose= 200mg/day.
<b>FLUID RETENTION</b>			
<b>First line treatment</b>			
Furosemide	Lasix	Fluid Retention-Loop Diuretic	Monitor for hypokalemia. Oral absorption decreases as fluid overload increases.

GENERIC NAME	BRAND NAME EXAMPLES	SYMPTOM CLASSIFICATION	COMMENTS
<b>Second line treatment</b>			
Spironolactone	Aldactone	Fluid Retention-Potassium Sparing Diuretic	Potassium sparing
Metolazone	Zaroxolyn	Fluid Retention-Thiazide Diuretic	Adjunct to loop diuretics. Monitor for hypokalemia.
<b>GASTROINTESTINAL</b>			
<b>First line treatment</b>			
Aluminum/Magnesium Hydroxide	Maalox, Mylanta	Gastrointestinal-Antacid	For PRN use. Can cause rebound acid production with chronic use.
Aluminum/Magnesium Hydroxide/Simethicone	Maalox Plus	Gastrointestinal-Antacid	For PRN use. Can cause rebound acid production with chronic use.
Omeprazole OTC	Prilosec OTC	Gastrointestinal-Proton Pump Inhibitor	Request OTC omeprazole only-not RX form.
Famotidine	Pepcid <b>(NO ORAL LIQ)</b>	Gastrointestinal-H2 Antagonist	Use with caution in elderly.
Ranitidine	Zantac <b>(NO ORAL LIQ)</b>	Gastrointestinal-H2 Antagonist	Use with caution in elderly.
Simethicone	Mylicon	Gastrointestinal-Gas	For relief of gas.
<b>Second line treatment</b>			
Sucralfate	Carafate	Gastrointestinal-Protectant	Take other medication 2 hours before sucralfate.
<b>GENITOURINARY</b>			
<b>First line treatment</b>			
Hyoscyamine	Levsin	Genitourinary-Bladder Spasms-Anticholinergic	<b>MST:</b> Liquid is expensive.
<b>Second line treatment</b>			
Bethanechol	Urecholine	Genitourinary-Urinary Retention-Cholinergic	For urinary retention.
Oxybutynin	Ditropan <b>(IR ONLY)</b>	Genitourinary-Bladder Spasms-Anticholinergic	For urinary frequency or spasms: Use immediate release form.
Phenazopyridine	Pyridium	Genitourinary-Urinary Analgesic	Urinary analgesic: Use for a maximum of 3 days.
<b>HICCUPS</b>			
<b>First line treatment</b>			
Baclofen	Lioresal	Hiccups-Muscle Relaxant	<b>MST:</b> Antispasmodic
Haloperidol	Haldol <b>(DECANOATE REQUIRES AUTH)</b>	Hiccups-Antipsychotic	<b>MST:</b> Butyrophenone: Avoid doses of > 2mg/day in LTCF patients.
Chlorpromazine	Thorazine	Hiccups- Antipsychotic	<b>MST:</b> Phenothiazine Antipsychotic: Avoid doses > 75mg/day in LTCF. Increased risk of orthostatic hypotension.
Metoclopramide	Reglan	Hiccups-Prokinetic	Promotility agent.
<b>HYPOKALEMIA</b>			
<b>First line treatment</b>			
Potassium Chloride	Klor-Con, K-Dur	Cardiac-Potassium Supplement	Monitor potassium levels.
<b>INFECTION-BACTERIAL</b>			
<b>First line treatment</b>			
Amoxicillin	Amoxil	Infection-Bacterial	Penicillin
Cephalexin	Keflex	Infection-Bacterial	Cephalosporin
Doxycycline	Vibramycin, Monodox	Infection-Bacterial	Tetracycline
Erythromycin	E-Mycin, Erytab	Infection-Bacterial	Macrolide
Metronidazole	Flagyl	Infection-Bacterial	Miscellaneous:May crush tabs and use topically for wounds.
Sulfamethoxazole/Trimethoprim	Bactrim	Infection-Bacterial	Sulfonamide
<b>Second line treatment</b>			
Ciprofloxacin	Cipro <b>(NO XR)</b>	Infection-Bacterial	Fluoroquinolone
Azithromycin	Zithromax	Infection-Bacterial	Macrolide
Nitrofurantoin	Macrochantin, Macrobid	Infection-Bacterial	Miscellaneous
<b>Third line treatment</b>			
Levofloxacin	Levaquin	Infection-Bacterial	Fluoroquinolone
<b>INFECTION-FUNGAL</b>			
<b>First line treatment</b>			
Nystatin Oral Suspension	Mycostatin	Infection-Fungal	No systemic absorption.

GENERIC NAME	BRAND NAME EXAMPLES	SYMPTOM CLASSIFICATION	COMMENTS
<b>Second line treatment</b>			
Fluconazole	Diflucan	Infection-Fungal	Multiple drug interactions.
<b>INFECTION-VIRAL</b>			
<b>First line treatment</b>			
Acyclovir	Zovirax <b>(ORAL ONLY)</b>	Infection-Viral	
<b>INSOMNIA</b>			
<b>First line treatment</b>			
Temazepam	Restoril <b>(NO 7.5 OR 22.5MG)</b>	Insomnia-Benzodiazepine	Duration of action 6-8 hours.
Trazodone	Desyrel <b>(NO XL)</b>	Insomnia-Antidepressant	Atypical antidepressant.
<b>Second line treatment</b>			
Lorazepam	Ativan	Insomnia-Benzodiazepine	Short duration of action.
Alprazolam	Xanax <b>(NO XR or ODT)</b>	Insomnia-Benzodiazepine	Short duration of action.
Diphenhydramine	Benadryl	Insomnia-Anticholinergic	Use with caution in the elderly.
Mirtazapine	Remeron	Insomnia-Antidepressant	<b>MST:</b> Sedating in doses 7.5 - 15mg.
<b>MUSCLE SPASM</b>			
<b>First line treatment</b>			
Diazepam	Valium <b>(NO DIASTAT)</b>	Muscle Spasm-Benzodiazepine	<b>MST:</b> Long half life-dose, no more frequently than q8h and avoid in geriatrics.
<b>Second line treatment</b>			
Baclofen	Lioresal	Muscle Spasm-Skeletal Muscle Relaxant	<b>MST:</b> For muscle spasticity.
Diazepam Concentrated Oral Soln	Diazepam Intensol	Muscle Spasm-Benzodiazepine	Intensol expensive-tablets can be given sublingually/rectally.
<b>NAUSEA &amp; VOMITING</b>			
<b>First line treatment</b>			
Haloperidol	Haldol <b>(DECANOATE REQUIRES AUTH)</b>	Nausea & Vomiting: Chemoreceptor Trigger Zone	<b>MST:</b> Butyrophenone: Less sedating than other antiemetics, can use tablets or liquid PO/SL/PR. Avoid doses of > 2mg/day in LTCF patients.
Prochlorperazine	Compazine	Nausea & Vomiting: Chemoreceptor Trigger Zone	Phenothiazine: More sedating, less versatile and less cost effective than haloperidol.
Metoclopramide	Reglan	Nausea & Vomiting-Gastric Stasis	<b>MST:</b> Promotility Agent: Drug of choice for gastric stasis.
Lorazepam	Ativan	Nausea & Vomiting-Anxiety	<b>MST:</b> Benzodiazepine: For anxiety induced nausea.
Meclizine	Antivert	Nausea & Vomiting-Dismotility-Vertigo	<b>MST:</b> Antihistamine: For movement induced nausea/vertigo.
<b>Second line treatment</b>			
Chlorpromazine	Thorazine	Nausea & Vomiting- Chemoreceptor Trigger Zone	<b>MST:</b> Phenothiazine: Sedating. Avoid doses > 75mg/day in LTCF. Increased risk of orthostatic hypotension.
Promethazine	Phenergan	Nausea & Vomiting- Chemoreceptor Trigger Zone- Antihistamine	More sedating than haloperidol. Suppositories are expensive.
Hyoscyamine	Levsin	Nausea & Vomiting- Antispasmodic	<b>MST:</b> Anticholinergic: For gastric colic; constipating.
Alprazolam	Xanax <b>(NO XR OR ODT)</b>	Nausea & Vomiting-Anxiety	<b>MST:</b> Benzodiazepine: For anxiety induced nausea.
Diazepam	Valium <b>(NO DIASTAT)</b>	Nausea & Vomiting-Anxiety	<b>MST:</b> Benzodiazepine: For anxiety induced nausea. Long half-life-dose, no more frequently than q8h and avoid in geriatrics unless bed bound.
<b>Third line treatment</b>			
Erythromycin	E-Mycin, Erytab	Nausea & Vomiting-Gastric Stasis	Macrolide antibiotic: If patient can't tolerate metoclopramide for gastric stasis.

GENERIC NAME	BRAND NAME EXAMPLES	SYMPTOM CLASSIFICATION	COMMENTS
Glycopyrrolate	Robinul	Nausea & Vomiting-Antispasmodic	<b>MST:</b> Tablets more expensive.
Diazepam Concentrated Oral Soln	Diazepam Intensol	Nausea & Vomiting-Anxiety	<b>MST:</b> Benzodiazepine: Expensive-tablets are well absorbed sublingually/rectally.
Lorazepam Concentrated Oral Soln	Lorazepam Intensol	Nausea & Vomiting-Anxiety	<b>MST:</b> Benzodiazepine: Expensive-tablets are well absorbed sublingually/rectally.
Scopolamine Patch	Transderm Scop	Nausea & Vomiting, Secretions	<b>MST:</b> Anticholinergic: For movement induced nausea/vertigo. Constipating; onset of action about 4 hrs.
<b>NEUROPATHIC PAIN</b>			
<b>First line treatment</b>			
Methadone	Dolophine, Methadose	Neuropathic Pain-Opioid	<b>MST:</b> 1st line when opioid and neuropathic analgesic required.
Desipramine	Norpramin	Neuropathic Pain-Tricyclic Antidepressant	Less severe side effects than amitriptyline.
Nortriptyline	Pamelor	Neuropathic Pain-Tricyclic Antidepressant	Less severe side effects than amitriptyline.
Gabapentin	Neurontin	Neuropathic Pain-Antiepileptic	Anticonvulsant of choice for neuropathic pain.
<b>Second line treatment</b>			
Divalproex Sodium/Valproic Acid	Depakote/Depakene ( <b>NO STAVZOR</b> )	Neuropathic Pain-Antiepileptic	<b>MST:</b> Beneficial for seizure prevention and as a mood stabilizer.
Doxepin	Sinequan ( <b>NO SILENOR</b> )	Neuropathic Pain-Tricyclic	<b>MST:</b> Sedating
<b>Third line treatment</b>			
Amitriptyline	Elavil	Neuropathic Pain-Tricyclic	Most severe side effects of TCA's.
Carbamazepine	Tegretol	Neuropathic Pain-Antiepileptic	<b>MST:</b> IR form is well absorbed rectally.
Pregabalin	Lyrica	Neuropathic Pain-Antiepileptic	Schedule V Controlled Substance. Useful as an alternative to gabapentin.
<b>PAIN</b>			
<b>First line treatment</b>			
Acetaminophen	Tylenol	Pain-Non-opioid	<b>MST:</b> Maximum dose = 3 gms/24hrs. Caution for liver patients.
Ibuprofen	Motrin	Pain-Nonsteroidal Anti-Inflammatory Drug	<b>MST:</b> Maximum dose = 3200 mgs/24hrs. Caution for renal patients.
Naproxen	Naprosyn ( <b>IR ONLY</b> )	Pain-Nonsteroidal Anti-Inflammatory Drug	Maximum dose = 1500mg/24hrs. Caution for renal patients.
Hydrocodone/Acetaminophen	Lortab, Vicodin, Norco	Nociceptive Pain-Combination Product	Caution acetaminophen content: maximum 3gms/24hrs.
Oxycodone/Acetaminophen	Percocet	Nociceptive Pain-Combination Product	Caution acetaminophen content: maximum 3gms/24hrs.
Morphine	Roxanol, MS Contin ( <b>NO KADIAN or AVINZA</b> )	Pain-Opioid	
Methadone	Dolophine, Methadose	Pain-Opioid	
Lidocaine Oral	Xylocaine Viscous	Pain-Pharyngeal	Watch for aspiration; wait 30 minutes before eating or drinking.
<b>Second line treatment</b>			
Choline Magnesium Trisalicylate	Trilisate	Pain-Salicylate Anti-Inflammatory	Less platelet inhibition than traditional NSAIDs.
Prednisone	Deltasone	Pain-Corticosteroid Anti-Inflammatory	<b>MST:</b> Less expensive than dexamethasone.
Dexamethasone	Decadron	Pain-Corticosteroid Anti-Inflammatory	<b>MST:</b> More costly but less mineralocorticoid activity/fluid retention than prednisone.
Oxycodone IR	Roxicodone, Oxyfast ( <b>NO SUSTAINED RELEASE</b> )	Pain-Opioid	<b>MST:</b> Immediate release opioid: More expensive than morphine.
Hydromorphone	Dilaudid ( <b>NO XR</b> )	Pain-Opioid	<b>MST:</b> Immediate release opioid.

GENERIC NAME	BRAND NAME EXAMPLES	SYMPTOM CLASSIFICATION	COMMENTS
Tramadol	Ultram ( <b>REGULAR RELEASE ONLY</b> )	Pain-Opioid	Max dose of 200mg/day in patients with renal failure.
<b>PARKINSONISM/EXTRAPYRAMIDAL SYMPTOMS</b>			
<b>First line treatment</b>			
Diphenhydramine	Benadryl	EPS-Anticholinergic	<b>MST:</b> Use with caution in the elderly.
Benzotropine	Cogentin	EPS-Anticholinergic	
<b>PRURITUS</b>			
<b>First line treatment</b>			
Diphenhydramine	Benadryl	Pruritus-Antihistamine	<b>MST:</b> Sedating-Use with caution in the elderly.
Hydroxyzine	Atarax, Vistaril	Pruritus-Antihistamine	<b>MST:</b> Sedating-Use with caution in the elderly.
Prednisone	Deltasone	Pruritus-Corticosteroid	<b>MST:</b> Less expensive than dexamethasone.
Dexamethasone	Decadron	Pruritus-Corticosteroid	<b>MST:</b> More costly but less mineralocorticoid activity/fluid retention than prednisone.
Doxepin	Sinequan ( <b>NO SILENOR</b> )	Pruritis-Tricyclic Antidepressant	<b>MST:</b> Sedating
<b>RESPIRATORY</b>			
<b>First line treatment</b>			
Prednisone	Deltasone	Respiratory Anti-Inflammatory-Corticosteroid	<b>MST:</b> Less expensive than dexamethasone.
Dexamethasone	Decadron	Respiratory Anti-Inflammatory-Corticosteroid	<b>MST:</b> More costly but less mineralocorticoid activity/fluid retention than prednisone.
Albuterol	Proventil, Ventolin	Beta Agonist Bronchodilator	Only for wheezing related to terminal diagnosis.
<b>Second line treatment</b>			
Sodium Chloride	Saline-Nebulized	Respiratory-Humidifier	Use PRN between bronchodilator doses, Thins secretions & moistens airways.
<b>SECRETIONS-DRYING AGENT</b>			
<b>First line treatment</b>			
Atropine 1% Ophthalmic Soln	Isopto Atropine	Secretions-Anticholinergic	For sublingual use-Do not use in the EYE.
<b>Second line treatment</b>			
Hyoscyamine	Levsin	Secretions-Anticholinergic	<b>MST:</b> Liquid is expensive.
Glycopyrrolate	Robinul	Secretions-Anticholinergic	<b>MST:</b> Does not cross blood-brain barrier. Oral dosage form expensive, injectable preferred.
Scopolamine Patch	Transderm Scop	Secretions-Anticholinergic	<b>MST:</b> Only for long term for excess secretions. Onset of action is 4 hours.
<b>SEIZURES</b>			
<b>First line treatment</b>			
Lorazepam	Ativan	Seizures-Maintenance and Acute Treatment	<b>MST:</b> Benzodiazepine: For acute treatment of seizure
Diazepam	Valium ( <b>NO DIASTAT</b> )	Seizures-Maintenance and Acute Treatment	<b>MST:</b> Benzodiazepine: For acute treatment of seizure
Phenobarbital	Luminal	Seizures-Maintenance and Acute Treatment	<b>MST:</b> Benzodiazepine: For acute treatment of seizure
Clonazepam	Klonopin	Seizures-Maintenance	<b>MST:</b> Benzodiazepine: For acute treatment of seizure
Phenytoin	Dilantin	Seizures-Maintenance	<b>MST:</b> Antiepileptic: For maintenance seizure control.
Valproic Acid/Divalproex	Depakote/Depakene ( <b>NO STAVZOR</b> )	Seizures-Maintenance	<b>MST:</b> Antiepileptic: For maintenance seizure control.
Carbamazepine	Tegretol	Seizures-Maintenance	<b>MST:</b> Antiepileptic: For maintenance seizure control.
Dexamethasone	Decadron	Seizures-Maintenance	<b>MST:</b> Seizures due to intracranial pressure.

GENERIC NAME	BRAND NAME EXAMPLES	SYMPTOM CLASSIFICATION	COMMENTS
<b>Second line treatment</b>			
Lorazepam Concentrated Oral Soln	Lorazepam Intensol	Seizures-Maintenance and Acute Treatment	<b>MST:</b> Benzodiazepine: Expensive-tablets can be given sublingually/rectally.
Diazepam Concentrated Oral Soln	Diazepam Intensol	Seizures-Maintenance and Acute Treatment	<b>MST:</b> Benzodiazepine: Expensive-tablets can be given sublingually/rectally.
<b>TOPICAL</b>			
<b>First line treatment</b>			
Emollient	Eucerin	Topical-Emollient	
Vitamin A & D Cream	Sween	Topical-Emollient	Skin barrier
Camphor/Menthol Lotion	Sarna Lotion	Topical-Antipruritic	Itching, avoid on broken wounds.
Hydrocortisone Cream	Cortaid	Topical-Corticosteroid	Rash, Itching
Bacitracin	Bacitracin	Topical-Anti-infective	Antibiotic
Neomycin/Polymyxin/Bacitracin	Neosporin	Topical-Anti-infective	Antibiotic
Nystatin	Mycostatin, Nystop	Topical Antifungal	
Myconazole Cream, Powder	Baza, Zeasorb AF	Topical Antifungal	
Nystatin/Triamcinolone Cream	Mycolog II	Topical-Antifungal/Corticosteroid	
Thymol/Menthol Ointment	Calmoseptine	Topical-Protectant	Good barrier against urine.
Zinc Oxide Ointment	Desitin	Topical-Protectant	Skin barrier
Zinc Oxide + Dimethicone	Baza Protect	Topical-Protectant	Good barrier against stool and denuded skin.
Lidocaine Ointment	Lidocaine	Topical-Analgesics	Local anesthetic: Localized pain.
<b>Second line treatment</b>			
Silver Sulfadiazine Cream	Silvadene	Topical-Burn & Antibacterial	Anti-infective
<b>XEROSTOMIA (Dry Mouth)</b>			
<b>First line treatment</b>			
Artificial Saliva	Biotene	Xerostomia (dry mouth)	
<b>MISCELLANEOUS</b>			
Hep-Lock	Heparin Lock Flush	Intravenous Line Maintenance	
Sodium Chloride 0.9%	Sodium Chloride 0.9%	Injection, Irrigation, Nasal Spray	
<b>Please Note: Unless otherwise noted, all strengths and dosage forms of listed medications are covered on both the Base List and Diagnosis Specific Categories.</b>			





**DIAGNOSIS SPECIFIC CATEGORIES - MEDICATION LIST**

**Hospice Diagnoses**

- 10 = Cancer
- 20 = Pulmonary
- 30 = Heart Disease
- 40 = Stroke/Coma
- 50 = Liver Disease
- 60 = Renal Disease
- 70 = Neuromuscular Diseases (ALS, Parkinson's Disease, etc)
- 80 = HIV-AIDS
- 90 = Dementia
- 95 = Debility Unspecified/Failure to Thrive

THERAPEUTIC CLASS	GENERIC NAME	BRAND EXAMPLE	COMMENTS
<b>CANCER (10)</b>			
Anticoagulant	Warfarin	Coumadin	Hypercoagulation due to cancer.
Mineral Corticoids	Fludrocortisone	Florinef	Orthostatic hypotension.
Pancreatic Enzymes	Pancrelipase	Pancrease	Pancreatic cancer
Anticonvulsant	Levetiracetam	Kepra ( <b>NO XR</b> )	Seizures. Do not crush.
<b>PULMONARY DISEASE (20)</b>			
Anticholinergics	Ipratropium	Atrovent ( <b>ORAL INHALATION ONLY</b> )	Nebulizer more effective in late stage COPD.
	Tiotropium	Spiriva	Nebulizer more effective in late stage COPD.
Beta Adrenergic Agonists	Salmeterol Xinafoate	Serevent Diskus	Nebulizer more effective in late stage COPD.
Beta Adrenergic Agonist/Corticosteroid	Salmeterol-Fluticasone	Advair	Consider changing to nebulized albuterol and oral prednisone.
Beta Adrenergic Agonists/Anticholinergic	Albuterol-Ipratropium	Combivent, Duo-Neb	Nebulizer more effective in late stage COPD. Combination product more cost effective than using individual products.
Corticosteroids - Inhaled	Beclomethasone	Qvar	Consider changing to oral prednisone.
Xanthines	Theophylline	Theo-Dur ( <b>SINGLE AGENT PRODUCTS ONLY</b> )	Monitor Theophylline blood levels.
<b>HEART DISEASE (30)</b>			
ACE Inhibitors	Benazepril	Lotensin	
	Benazepril/Hctz	Lotensin HCT	
	Captopril	Capoten	
	Captopril/Hctz	Capozide	
	Enalapril	Vasotec, Enalapril	
	Enalapril/Hctz	Vasoretic	
	Lisinopril	Prinivil, Zestril	
	Lisinopril/Hctz	Zestoretic, Prinzide	
	Quinapril	Accupril	
	Quinapril/Hctz	Accuretic	
Alpha Adrenergic Agonists	Ramipril	Altace	
Alpha Adrenergic Blockers	Clonidine	Catapres, Clorpres ( <b>NO KAPVAY OR NEXICLON XR</b> )	Patch is expensive.
	Doxazosin	Cardura	
Angiotensin Receptor Blockers	Terazosin	Hytrin	
	Candesartan	Atacand	
	Candesartan Hctz	Atacand HCT	
	Irbesartan	Avapro	
	Irbesartan/Hctz	Avalide	

THERAPEUTIC CLASS	GENERIC NAME	BRAND EXAMPLE	COMMENTS
	Losartan	Cozaar	
	Losartan Hctz	Hyzaar	
	Olmesartan	Benicar	
	Olmesartan Hctz	Benicar HCT	
	Valsartan	Diovan	
	Valsartan Hctz	Diovan HCT	
Antianginal Agents	Isosorbide Dinitrate	Isordil	
	Isosorbide-Hydralazine	Bidil	
	Isosorbide Mononitrate	Monoket, Imdur, Ismo	
Antiarrhythmic Agent	Amiodarone	Cordarone, Pacerone	
	Nitroglycerin	Nitrostat, Nitro-Bid, Nitro-Dur, Minitran	Spray is expensive.
Anticoagulants	Warfarin	Coumadin	
	Heparin	Heparin	
Antiplatelet	Aspirin	Aspirin	
Beta Adrenergic Blockers	Atenolol	Tenormin	
	Atenolol/Chlorthalidone	Tenoretic	
	Bisoprolol	Zebeta	
	Bisoprolol/Hctz	Ziac	
	Carvedilol	Coreg (NO CR)	
	Labetalol	Normodyne	
	Metoprolol	Lopressor, Toprol XL	
	Metoprolol/Hctz	Lopressor HCT	
	Propranolol	Inderal	
	Propranolol/Hctz	Inderide	
Calcium Channel Blockers	Amlodipine	Norvasc	
	Amlodipine/Benazepril	Lotrel	
	Amlodipine/Olmesartan	Azor	
	Amlodipine/Olmesartan/Hctz	Tribenzor	
	Amlodipine/Valsartan	Exforge	
	Amlodipine/Valsartan/Hctz	Exforge HCT	
	Diltiazem	Cardizem	
	Nifedipine	Procardia, Procardia XL, Adalat CC	
	Felodipine	Plendil	
	Verapamil	Calan, Verelan	
Cardiac Glycosides	Digoxin	Lanoxin	
Thiazide Diuretics	Chlorthalidone	Hygroton	
	Hydrochlorothiazide	Oretic	
Loop Diuretic	Bumetanide	Bumex	
Vasodilators	Hydralazine	Apresoline	
<b>STROKE/COMA (40)</b>			
ACE Inhibitors	Benazepril	Lotensin	
	Benazepril/Hctz	Lotensin HCT	
	Captopril	Capoten	
	Captopril/Hctz	Capozide	
	Enalapril	Vasotec, Enalapril	
	Enalapril/Hctz	Vasoretic	
	Lisinopril	Prinivil, Zestril	
	Lisinopril/Hctz	Zestoretic, Prinzide	
	Quinapril	Accupril	
	Quinapril/Hctz	Accuretic	
	Ramipril	Altace	
Alpha Adrenergic Agonists	Clonidine	Catapres, Clorpres (NO KAPVAY or NEXICLON XR)	Patch is expensive.
Alpha Adrenergic Blockers	Doxazosin	Cardura	
	Terazosin	Hytrin	

THERAPEUTIC CLASS	GENERIC NAME	BRAND EXAMPLE	COMMENTS
Angiotensin Receptor Blockers	Candesartan	Atacand	
	Candesartan/Hctz	Atacand HCT	
	Irbesartan	Avapro	
	Irbesartan/Hctz	Avalide	
	Losartan	Cozaar	
	Losartan/Hctz	Hyzaar	
	Olmesartan	Benicar	
	Olmesartan/Hctz	Benicar HCT	
	Valsartan	Diovan	
Valsartan/Hctz	Diovan HCT		
Anticoagulants	Warfarin	Coumadin	
	Heparin	Heparin	
Antiplatelet	Aspirin	Aspirin	
Beta Adrenergic Blockers	Atenolol	Tenormin	
	Atenolol/Chlorthalidone	Tenoretic	
	Bisoprolol	Zebeta	
	Bisoprolol/Hctz	Ziac	
	Carvedilol	Coreg <b>(NO CR)</b>	
	Labetalol	Normodyne	
	Metoprolol	Lopressor, Toprol XL	
	Metoprolol/Hctz	Lopressor HCT	
	Propranolol	Inderal	
Propranolol/Hctz	Inderide		
Calcium Channel Blockers	Amlodipine	Norvasc	
	Amlodipine/Benazepril	Lotrel	
	Amlodipine/Olmesartan	Azor	
	Amlodipine/Olmesartan/Hctz	Tribenzor	
	Amlodipine/Valsartan	Exforge	
	Amlodipine/Valsartan/Hctz	Exforge HCT	
	Diltiazem	Cardizem	
	Felodipine	Plendil	
	Nifedipine	Procardia, Procardia XL, Adalat CC	
	Nisoldipine	Sular	
Verapamil	Calan, Verelan		
Thiazide Diuretics	Chlorthalidone	Hygroton	
	Hydrochlorothiazide	Oretic	
<b>LIVER DISEASE (50)</b>			
Beta Adrenergic Blockers	Nadolol	Corgard	For esophageal varices.
	Propranolol	Inderal	For esophageal varices.
	Propranolol/Hctz	Inderide	For esophageal varices.
Coagulants	Vitamin K, Phytonadione	Mephyton, AquaMephyton	
Vasodilators	Isosorbide Dinitrate	Isordil	
	Isosorbide Mononitrate	Monoket, Imdur, Ismo	
Loop Diuretic	Bumetanide	Bumex	
Benzodiazepine	Oxazepam	Serax	No active metabolites.
Ammonium Detoxicant/Osmotic Laxative	Lactulose	Enulose	Consider using Sorbitol for lowering Ammonia as well.
<b>RENAL DISEASE (60)</b>			
<b>Base Formulary Only (No additional add on's)</b>			
<b>NEUROMUSCULAR DISEASE (70) ALS - PARKINSONS</b>			
Antiemetics	Trimethobenzamide	Tigan	Antiemetic of choice in Parkinson's Disease
Anti-Parkinson's Agents	Amantadine	Symmetrel	May use in Parkinson's Disease.
	Entacapone	Comtan	May use in Parkinson's Disease.
	Levodopa/Carbidopa	Sinemet	May use in Parkinson's Disease.
	Levodopa/Carbidopa/Entacapone	Stalevo	May use in Parkinson's Disease.
	Pramipexole	Mirapex <b>(NO ER)</b>	May use in Parkinson's Disease.
	Ropinirole	Requip <b>(NO XL)</b>	May use in Parkinson's Disease.

THERAPEUTIC CLASS	GENERIC NAME	BRAND EXAMPLE	COMMENTS
	Selegiline	Eldepryl <b>(NO EMSAM OR ZELAPAR)</b>	May use in Parkinson's Disease.
	Trihexyphenidyl	Artane	May use in Parkinson's Disease.
Antispasmodics	Cyclobenzaprine	Flexeril <b>(5&amp;10MG ONLY)</b>	Skeletal Muscle Relaxant.
	Tizanidine	Zanaflex	Skeletal Muscle Relaxant.
Atypical Antipsychotics	Quetiapine	Seroquel <b>(NO XR)</b>	May use in Parkinson's Disease.
<b>HIV OR AIDS (80)</b>			
<b>Base Formulary Only</b> (No additional add on's)			
<b>DEMENTIA (90)</b>			
Atypical Antipsychotics	Quetiapine	Seroquel <b>(NO XR)</b>	Sedating
	Risperidone	Risperdal	
<b>UNSPECIFIED DIAGNOSIS/DEBILITY UNSPECIFIED/FAILURE TO THRIVE (95)</b>			
<b>Base Formulary Only</b> (No additional add on's)			



# Hospiscript

A Catalyst Rx Company

## Hospiscript Diagnosis Based Formulary - Alphabetical Listing by Brand/Generic Name

Generic/ <b>Brand</b> Drug Name	Generic/ <b>Brand</b> Drug Name	Indication/ <b>Drug Class</b>	Formulary
<b>Accupril</b>	Quinapril	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Accuretic</b>	Quinapril/Hctz	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Acetaminophen	<b>Tylenol</b>	Fever, Pain-Nonopioid	<b>BASE</b>
Acyclovir	<b>Zovirax (ORAL ONLY)</b>	Infection-Viral	<b>BASE</b>
<b>Advair</b>	Salmeterol-Fluticasone	Beta Adrenergic Agonist/Corticosteroid	<b>PULMONARY</b>
Albuterol	<b>Proventil, Ventolin</b>	Beta Agonist Bronchodilator	<b>BASE</b>
Albuterol-Ipratropium	<b>Combivent, Duoneb</b>	Beta Adrenergic Agonists/ Anticholinergic	<b>PULMONARY</b>
<b>Aldactone</b>	Spirolactone	Fluid Retention-Potassium Sparing Diuretic	<b>BASE</b>
Alprazolam	<b>Xanax (NO XR OR ODT)</b>	Anxiety, Dyspnea, Insomnia, Nausea & Vomiting- Benzodiazepine	<b>BASE</b>
<b>Altace</b>	Ramipril	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Aluminum/Magnesium Hydroxide	<b>Maalox, Mylanta, Maalox Plus</b>	Gastrointestinal-Antacid	<b>BASE</b>
Amantadine	<b>Symmetrel</b>	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
Amiodarone	<b>Cordarone, Pacerone</b>	Antiarrhythmic Agent	<b>CARDIAC</b>
Amitriptyline	<b>Elavil</b>	Neuropathic Pain-Tricyclic Antidepressant	<b>BASE</b>
Amlodipine	<b>Norvasc</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Amlodipine/Benazepril	<b>Lotrel</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Amlodipine/Olmesartan	<b>Azor</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Amlodipine/Olmesartan/Hctz	<b>Tribenzor</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Amlodipine/Valsartan	<b>Exforge</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Amlodipine/Valsartan/Hctz	<b>Exforge HCT</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Amoxicillin	<b>Amoxil</b>	Infection-Bacterial	<b>BASE</b>
<b>Amoxil</b>	Amoxicillin	Infection-Bacterial	<b>BASE</b>
<b>Antivert</b>	Meclizine	Nausea & Vomiting, Secretions-Antihistamine	<b>BASE</b>
<b>Apresoline</b>	Hydralazine	Vasodilators	<b>CARDIAC</b>
<b>Artane</b>	Trihexyphenidyl	Antiparkinson's Agents	<b>NEUROMUSCULAR</b>
Artificial Saliva	<b>Salivart</b>	Xerostomia (dry mouth)	<b>BASE</b>
Artificial Tears	<b>Lytears</b>	Dry Eyes-Lubricant	<b>BASE</b>
Aspirin	Aspirin	Antiplatelet	<b>CARDIAC/STROKE</b>
<b>Atacand</b>	Candesartan	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
<b>Atacand HCT</b>	Candesartan/Hctz	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
<b>Atarax</b>	Hydroxyzine HCL	Anxiety, Pruritus-Antihistamine	<b>BASE</b>
Atenolol	<b>Tenormin</b>	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Atenolol/Chlorthalidone	<b>Tenoretic</b>	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Ativan</b>	Lorazepam	Anxiety, Dyspnea, Insomnia, Nausea & Vomiting, Seizures- Benzodiazepine	<b>BASE</b>
Atropine 1% Ophthalmic Soln	<b>Isopto Atropine</b>	Secretions-Anticholinergic	<b>BASE</b>
<b>Atrovent</b>	Ipratropium ( <b>ORAL INHALATION ONLY</b> )	Anticholinergics	<b>PULMONARY</b>
<b>Avapro</b>	Irbesartan	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>

Generic/Brand Drug Name	Generic/Brand Drug Name	Indication/Drug Class	Formulary
<b>Avalide</b>	Irbesartan/Hctz	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
Azithromycin	<b>Zithromax</b>	Infection-Bacterial	<b>BASE</b>
Bacitracin	Bacitracin	Topical-Anti-infective	<b>BASE</b>
Baclofen	<b>Lioresal</b>	Hiccups, Muscle Spasms	<b>BASE</b>
<b>Bactrim</b>	Sulfamethoxazole/Trimethoprim	Infection-Bacterial	<b>BASE</b>
<b>Baza Protect</b>	Zinc Oxide + Dimethicone	Topical-Protectant	<b>BASE</b>
<b>Baza, Zeasorb AF</b>	Myconazole Cream, Powder	Topical Antifungal	<b>BASE</b>
Beclomethasone	<b>Qvar</b>	Corticosteroids-Inhaled	<b>PULMONARY</b>
<b>Benadryl</b>	Diphenhydramine	Anxiety, Insomnia, EPS, Pruritus-Antihistamine	<b>BASE</b>
Benazepril	<b>Lotensin</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Benazepril/Hctz	<b>Lotensin HCT</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Benicar</b>	Olmesartan	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
<b>Benicar HCT</b>	Olmesartan/Hctz	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
Benzonatate	<b>Tessalon Perles</b>	Cough-Antitussive	<b>BASE</b>
Benztropine	<b>Cogentin</b>	EPS-Anticholinergic	<b>BASE</b>
Bethanechol	<b>Urecholine</b>	Genitourinary-Cholinergic	<b>BASE</b>
<b>Bidil</b>	Isosorbide-Hydralazine	Antianginal Agents	<b>CARDIAC</b>
<b>Biotene</b>	Artificial Saliva	Xerostomia (dry mouth)	<b>BASE</b>
Bisacodyl	<b>Dulcolax</b>	Constipation-Stimulant Laxative	<b>BASE</b>
Bismuth Subsalicylate	<b>Kaopectate</b>	Diarrhea-Absorbent	<b>BASE</b>
Bisoprolol	<b>Zebeta</b>	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Bisoprolol/Hctz	<b>Ziac</b>	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Bumetanide	<b>Bumex</b>	Loop Diuretic	<b>CARDIAC/LIVER</b>
<b>Bumex</b>	Bumetanide	Loop Diuretic	<b>CARDIAC/LIVER</b>
<b>Calan</b>	Verapamil	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
<b>Calmoseptine</b>	Thymol/Menthol Ointment	Topical-Protectant	<b>BASE</b>
Camphor/Menthol Lotion	<b>Sarna Lotion</b>	Topical-Antipruritic	<b>BASE</b>
Candesartan	<b>Atacand</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
Candesartan/Hctz	<b>Atacand HCT</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
<b>Capoten</b>	Captopril	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Captopril	<b>Capoten</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Captopril/Hctz	<b>Capozide</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Carafate</b>	Sucralfate	Gastrointestinal-Protectant	<b>BASE</b>
Carbamazepine	<b>Tegretol</b>	Neuropathic Pain, Seizures-Antiepileptic	<b>BASE</b>
<b>Cardizem</b>	Diltiazem	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
<b>Cardura</b>	Doxazosin	Alpha Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Carvedilol	<b>Coreg (NO CR)</b>	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Catapres</b>	Clonidine	Alpha Adrenergic Agonists	<b>CARDIAC/STROKE</b>
<b>Celexa</b>	Citalopram	Depression-Selective Serotonin Reuptake Inhibitor	<b>BASE</b>
Cephalexin	<b>Keflex</b>	Infection-Bacterial	<b>BASE</b>
Chlorpromazine	<b>Thorazine</b>	Agitation, Hiccups, Nausea & Vomiting-Phenothiazine	<b>BASE</b>
Chlorthalidone	<b>Hygroton</b>	Thiazide Diuretics	<b>CARDIAC/STROKE</b>
Choline Magnesium Trisalicylate	<b>Trilisate</b>	Pain-Salicylate Anti-Inflammatory	<b>BASE</b>
<b>Cipro</b>	Ciprofloxacin (NO XR)	Infection-Bacterial	<b>BASE</b>
Ciprofloxacin	<b>Cipro (NO XR)</b>	Infection-Bacterial	<b>BASE</b>
Citalopram	<b>Celexa</b>	Depression-Selective Serotonin Reuptake Inhibitor	<b>BASE</b>
<b>Citroma</b>	Magnesium Citrate	Constipation-Osmotic Laxative	<b>BASE</b>
Clonazepam	<b>Klonopin</b>	Anxiety, Seizures-Benzodiazepine	<b>BASE</b>
Clonidine	<b>Catapres</b>	Alpha Adrenergic Agonists	<b>CARDIAC/STROKE</b>
<b>Cogentin</b>	Benzotropine	EPS-Anticholinergic	<b>BASE</b>
<b>Colace</b>	Docusate Sodium	Constipation-Stool Softener	<b>BASE</b>
<b>Combivent</b>	Albuterol-Ipratropium	Beta Adrenergic Agonists/Anticholinergic	<b>PULMONARY</b>

Generic/Brand Drug Name	Generic/Brand Drug Name	Indication/Drug Class	Formulary
<b>Compazine</b>	Prochlorperazine	Nausea & Vomiting: Chemoreceptor Trigger Zone- Phenothiazine	<b>BASE</b>
<b>Comtan</b>	Entacapone	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
<b>Cordarone</b>	Amiodarone	Antiarrhythmic Agent	<b>CARDIAC</b>
<b>Coreg</b>	Carvedilol ( <b>NO CR</b> )	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Corgard</b>	Nadolol	Beta Adrenergic Blockers	<b>LIVER</b>
<b>Cortaid</b>	Hydrocortisone Cream	Topical-Corticosteroid	<b>BASE</b>
<b>Coumadin</b>	Warfarin	Anticoagulants	<b>CANCER/CARDIAC/STROKE</b>
<b>Cozaar</b>	Losartan	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
<b>Creon</b>	Pancrelipase	Pancreatic Enzymes	<b>CANCER</b>
Cyclobenzaprine	<b>Flexeril (5&amp;10 mg ONLY)</b>	Antispasmodics	<b>NEUROMUSCULAR</b>
<b>Decadron</b>	Dexamethasone	Anorexia, Fatigue, Pain, Pruritus, Respiratory Anti-Inflammatory, Seizures-Corticosteroid	<b>BASE</b>
<b>Deltasone</b>	Prednisone	Anorexia, Fatigue, Pain, Pruritus, Respiratory Anti-Inflammatory- Corticosteroid	<b>BASE</b>
<b>Depakote/Depakene</b>	Divalproex Sodium/Valproic Acid ( <b>NO STAVZOR</b> )	Neuropathic Pain Seizures- Antiepileptic	<b>BASE</b>
Desipramine	<b>Norpramin</b>	Neuropathic Pain-Tricyclic Antidepressant	<b>BASE</b>
<b>Desitin</b>	Zinc Oxide Ointment	Topical-Protectant	<b>BASE</b>
<b>Desyrel</b>	Trazodone ( <b>NO XR</b> )	Insomnia-Antidepressant	<b>BASE</b>
Dexamethasone	<b>Decadron</b>	Anorexia, Fatigue, Pain, Pruritus, Respiratory Anti-Inflammatory, Seizures-Corticosteroid	<b>BASE</b>
Diazepam	<b>Valium (NO DIASTAT)</b>	Anxiety, Dyspnea, Muscle Spasms, Nausea & Vomiting, Seizures-Benzodiazepine	<b>BASE</b>
Diazepam Concentrated Oral Soln	Diazepam Intensol	Anxiety, Dyspnea, Muscle Spasms, Nausea & Vomiting, Seizures-Benzodiazepine	<b>BASE</b>
Diazepam Intensol	Diazepam Concentrated Oral Soln	Anxiety, Dyspnea, Muscle Spasms, Nausea & Vomiting, Seizures-Benzodiazepine	<b>BASE</b>
<b>Diflucan</b>	Fluconazole	Infection-Fungal	<b>BASE</b>
Digoxin	<b>Lanoxin</b>	Cardiac Glycosides	<b>CARDIAC</b>
<b>Dilantin</b>	Phenytoin	Seizures-Maintenance- Antiepileptic	<b>BASE</b>
<b>Dilaudid</b>	Hydromorphone ( <b>NO XR</b> )	Dyspnea, Pain-Opioid	<b>BASE</b>
Diltiazem	<b>Cardizem</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
<b>Diovan</b>	Valsartan	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
<b>Diovan HCT</b>	Valsartan/Hctz	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
Diphenhydramine	<b>Benadryl</b>	Anxiety, Insomnia, EPS, Pruritus- Antihistamine	<b>BASE</b>
Diphenoxylate/Atropine	<b>Lomotil</b>	Diarrhea-Hypermotility	<b>BASE</b>
<b>Ditropan</b>	Oxybutynin ( <b>IR ONLY</b> )	Genitourinary-Bladder Spasms- Anticholinergic	<b>BASE</b>
Divalproex Sodium/Valproic Acid	<b>Depakote/Depakene (NO STAVZOR)</b>	Neuropathic Pain-Antiepileptic	<b>BASE</b>
Docusate Sodium	<b>Colace</b>	Constipation-Stool Softener	<b>BASE</b>
<b>Dolophine, Methadose</b>	Methadone	Neuropathic Pain, Pain-Opioid	<b>BASE</b>
Doxazosin	<b>Cardura</b>	Alpha Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Doxepin	<b>Sinequan (NO SILENOR)</b>	Neuropathic Pain, Pruritus- Tricyclic Antidepressant	<b>BASE</b>
Doxycycline	<b>Vibramycin, Monodox</b>	Infection-Bacterial	<b>BASE</b>
<b>Dulcolax</b>	Bisacodyl	Constipation-Stimulant Laxative	<b>BASE</b>
<b>Duoneb</b>	Albuterol-Ipratropium	Beta Adrenergic Agonists/ Anticholinergic	<b>PULMONARY</b>

Generic/Brand Drug Name	Generic/Brand Drug Name	Indication/Drug Class	Formulary
<b>Elavil</b>	Amitriptyline	Neuropathic Pain-Tricyclic Antidepressant	<b>BASE</b>
<b>Eldepryl</b>	Selegiline ( <b>NO EMSAM OR ZELAPAR</b> )	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
Emollient	<b>Eucerin</b>	Topical-Emollient	<b>BASE</b>
<b>E-Mycin, Erytab</b>	Erythromycin	Infection, Nausea & Vomiting	<b>BASE</b>
Enalapril	<b>Vasotec</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Enalapril/Hctz	<b>Vasoretic</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Enalaprit</b>	Enalapril	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Entacapone	<b>Comtan</b>	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
<b>Enulose</b>	Lactulose	Amonium Detoxicant/Osmotic Laxative	<b>LIVER</b>
Erythromycin	<b>E-Mycin, Erytab</b>	Infection, Nausea & Vomiting	<b>BASE</b>
Escitalopram	<b>Lexapro</b>	Depression-Selective Serotonin Reuptake Inhibitor	<b>BASE</b>
<b>Eucerin</b>	Emollient	Topical-Emollient	<b>BASE</b>
<b>Exforge</b>	Amlodipine/Valsartan	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
<b>Exforge HCT</b>	Amlodipine/Valsartan/Hctz	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Famotidine	<b>Pepcid (NO ORAL LIQ)</b>	Gastrointestinal-H2 Antagonist	<b>BASE</b>
Felodipine	<b>Plendil</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
<b>Flagyl</b>	Metronidazole	Infection-Bacterial	<b>BASE</b>
<b>Fleet Enema</b>	Sodium Phosphate Enema	Constipation-Osmotic Laxative	<b>BASE</b>
<b>Flexeril</b>	<b>Cyclobenzaprine (5&amp;10 MG ONLY)</b>	Antispasmodics	<b>NEUROMUSCULAR</b>
<b>Florinef</b>	Fludrocortisone	Mineral corticoids	<b>CANCER</b>
Fluconazole	<b>Diflucan</b>	Infection-Fungal	<b>BASE</b>
Fludrocortisone	<b>Florinef</b>	Mineral corticoids	<b>CANCER</b>
Fluoxetine	<b>Prozac (NO WEEKLY)</b>	Depression-Selective Serotonin Reuptake Inhibitor	<b>BASE</b>
Furosemide	<b>Lasix</b>	Fluid Retention-Loop Diuretic	<b>BASE</b>
Gabapentin	<b>Neurontin</b>	Neuropathic Pain-Antiepileptic	<b>BASE</b>
<b>Glycerin Suppository</b>	<b>Glycerin Suppository</b>	Constipation-Osmotic Laxative	<b>BASE</b>
Glycopyrrolate	<b>Robinul</b>	Nausea & Vomiting, Secretions-Anticholinergic	<b>BASE</b>
Guaifenesin	<b>Robitussin, Mucinex</b>	Cough-Expectorant	<b>BASE</b>
Guaifenesin/Codeine	<b>Robitussin AC</b>	Cough-Expectorant/Suppressant	<b>BASE</b>
Guaifenesin/Dextromethorphan	<b>Robitussin DM</b>	Cough-Expectorant/Suppressant	<b>BASE</b>
<b>Haldol</b>	Haloperidol ( <b>DECANOATE REQUIRES AUTH</b> )	Agitation, Hiccups, Nausea & Vomiting-Butyrophenone	<b>BASE</b>
Haloperidol	<b>Haldol (DECANOATE REQUIRES AUTH)</b>	Agitation, Hiccups, Nausea & Vomiting-Butyrophenone	<b>BASE</b>
<b>Hep-Lock</b>	Heparin	Line Maintenance-Anticoagulants	<b>BASE</b>
Heparin	Heparin	Anticoagulants	<b>CARDIAC/STROKE</b>
Hydralazine	<b>Apresoline</b>	Vasodilators	<b>CARDIAC</b>
Hydrochlorothiazide	<b>Oretic</b>	Thiazide Diuretics	<b>CARDIAC/STROKE</b>
Hydrocodone/Acetaminophen	<b>Lortab, Vicodin, Vicodin ES, Norco</b>	Nociceptive Pain-Combination Opioid/Nonopioid	<b>BASE</b>
Hydrocodone/Homatropine	<b>Hydromet</b>	Cough-Expectorant/Suppressant	<b>BASE</b>
Hydrocortisone Cream	<b>Cortaid</b>	Topical-Corticosteroid	<b>BASE</b>
<b>Hydromet</b>	Hydrocodone/Homatropine	Cough-Expectorant/Suppressant	<b>BASE</b>
Hydromorphone	<b>Dilaudid (NO XR)</b>	Dyspnea, Pain-Opioid	<b>BASE</b>
Hydroxyzine	<b>Atarax, Vistaril</b>	Anxiety, Pruritus-Antihistamine	<b>BASE</b>
<b>Hygroton</b>	Chlorthalidone	Thiazide Diuretics	<b>CARDIAC/STROKE</b>
Hyoscyamine	<b>Levsin</b>	Genitourinary, Nausea & Vomiting, Secretions-Anticholinergic	<b>BASE</b>
<b>Hytrin</b>	Terazosin	Alpha Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Hyzaar</b>	Losartan/Hctz	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
Ibuprofen	<b>Motrin, Advil</b>	Fever, Pain-Nonsteroidal Anti-Inflammatory Drug	<b>BASE</b>



Generic/Brand Drug Name	Generic/Brand Drug Name	Indication/Drug Class	Formulary
<b>Imdur</b>	Isosorbide Mononitrate	Vasodilators	<b>CARDIAC/LIVER</b>
<b>Imodium</b>	Loperamide	Diarrhea-Hypermotility	<b>BASE</b>
<b>Inderal</b>	Propranolol	Beta Adrenergic Blockers	<b>CARDIAC/STROKE/LIVER</b>
<b>Inderide</b>	Propranolol/Hctz	Beta Adrenergic Blockers	<b>CARDIAC/STROKE/LIVER</b>
<b>Indocin</b>	Indomethacin	Fever	<b>BASE</b>
Indomethacin	<b>Indocin</b>	Fever	<b>BASE</b>
Ipratropium	<b>Atrovent (ORAL INHALATION ONLY)</b>	Anticholinergics	<b>PULMONARY</b>
Irbesartan	<b>Avapro</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
Irbesartan/Hctz	<b>Avalide</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
<b>Isopto Atropine</b>	Atropine 1% Ophthalmic Soln	Secretions-Anticholinergic	<b>BASE</b>
<b>Isordil</b>	Isosorbide Dinitrate	Vasodilators	<b>CARDIAC/LIVER</b>
Isosorbide Dinitrate	<b>Isordil</b>	Vasodilators	<b>CARDIAC/LIVER</b>
Isosorbide Dinitrate/Hydralazine	<b>Bidil</b>	Antianginal Agents	<b>CARDIAC</b>
Isosorbide Mononitrate	<b>Monoket, Imdur, Ismo</b>	Vasodilators	<b>CARDIAC/LIVER</b>
<b>Kaopectate</b>	Bismuth Subsalicylate	Diarrhea-Absorbent	<b>BASE</b>
<b>Keflex</b>	Cephalexin	Infection-Bacterial	<b>BASE</b>
<b>Kepra</b>	Levetiracetam ( <b>NO XR</b> )	Anticonvulsant	<b>CANCER</b>
<b>Klonopin</b>	Clonazepam	Anxiety, Seizures-Benzodiazepine	<b>BASE</b>
<b>Klor-Con, K-Dur</b>	Potassium Chloride	Cardiac-Potassium Supplement	<b>BASE</b>
Labetalol	<b>Normodyne</b>	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Lacrilube</b>	Ophthalmic Lubricant	Dry Eyes-Lubricant	<b>BASE</b>
Lactulose	<b>Enulose, Kristalose</b>	Amonium Detoxicant/Osmotic Laxative	<b>LIVER</b>
<b>Lanoxin</b>	Digoxin	Cardiac Glycosides	<b>CARDIAC</b>
<b>Lasix</b>	Furosemide	Fluid Retention-Loop Diuretic	<b>BASE</b>
<b>Levaquin</b>	Levofloxacin	Infection-Bacterial	<b>BASE</b>
Levetiracetam	<b>Kepra (NO XR)</b>	Anticonvulsant	<b>CANCER</b>
Levodopa/Carbidopa	<b>Sinemet</b>	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
Levodopa/Carbidopa/Entacapone	<b>Stalevo</b>	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
Levofloxacin	<b>Levaquin</b>	Infection-Bacterial	<b>BASE</b>
<b>Levsin</b>	Hyoscyamine	Genitourinary, Nausea & Vomiting, Secretions-Anticholinergic	<b>BASE</b>
<b>Lexapro</b>	Escitalopram	Depression-Selective Serotonin Reuptake Inhibitor	<b>BASE</b>
Lidocaine Inj for Nebulization	<b>Xylocaine</b>	Cough-Suppressant	<b>BASE</b>
Lidocaine Ointment	Lidocaine	Topical-Analgesics	<b>BASE</b>
Lidocaine Viscous	<b>Xylocaine Viscous</b>	Pain-Pharyngeal	<b>BASE</b>
<b>Lioresal</b>	Baclofen	Hiccups, Muscle Spasms	<b>BASE</b>
Lisinopril	<b>Prinivil, Zestril</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Lisinopril/Hctz	<b>Zestoretic</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Lomotil</b>	Diphenoxylate/Atropine	Diarrhea-Hypermotility	<b>BASE</b>
Loperamide	<b>Imodium</b>	Diarrhea-Hypermotility	<b>BASE</b>
<b>Lopressor</b>	Metoprolol	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Lopressor HCT</b>	Metoprolol/Hctz	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Lorazepam	<b>Ativan</b>	Anxiety, Dyspnea, Insomnia, Nausea & Vomiting, Seizures-Benzodiazepine	<b>BASE</b>
Lorazepam Concentrated Oral Soln	Lorazepam Intensol	Anxiety, Dyspnea, Insomnia, Nausea & Vomiting, Seizures-Benzodiazepine	<b>BASE</b>
Lorazepam Intensol	Lorazepam Concentrated Oral Soln	Anxiety, Dyspnea, Insomnia, Nausea & Vomiting, Seizures-Benzodiazepine	<b>BASE</b>
<b>Lortab</b>	Hydrocodone/Acetaminophen	Nociceptive Pain-Combination Opioid/Nonopioid	<b>BASE</b>
Losartan	<b>Cozaar</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>

Generic/Brand Drug Name	Generic/Brand Drug Name	Indication/Drug Class	Formulary
Losartan/Hctz	<b>Hyzaar</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
<b>Lotensin</b>	Benazepril	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Lotensin HCT</b>	Benazepril/Hctz	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Luminal</b>	Phenobarbital	Agitation, Seizures-Barbiturate	<b>BASE</b>
<b>Lyrica</b>	Pregabalin	Neuropathic Pain-Antiepileptic	<b>BASE</b>
<b>Lytears</b>	Artificial Tears	Dry Eyes-Lubricant	<b>BASE</b>
<b>Maalox Plus</b>	Aluminum/Magnesium Hydroxide/Simethicone	Gastrointestinal-Antacid	<b>BASE</b>
<b>Maalox</b>	Aluminum/Magnesium Hydroxide	Gastrointestinal-Antacid	<b>BASE</b>
<b>Macrochantin, Macrobid</b>	Nitrofurantoin	Infection-Bacterial	<b>BASE</b>
Magnesium Citrate	<b>Citroma</b>	Constipation-Osmotic Laxative	<b>BASE</b>
Magnesium Hydroxide	<b>Milk of Magnesia</b>	Constipation-Osmotic Laxative	<b>BASE</b>
Meclizine	<b>Antivert</b>	Nausea & Vomiting, Secretions-Antihistamine	<b>BASE</b>
<b>Mephyton, AquaMephyton</b>	Vitamin K, Phytonadione	Coagulants	<b>LIVER</b>
<b>Metamucil</b>	Psyllium	Diarrhea-Absorbent-Bulk Laxative	<b>BASE</b>
Methadone	<b>Dolophine, Methadose</b>	Neuropathic Pain, Pain-Opioid	<b>BASE</b>
Methylphenidate	<b>Ritalin (NO CR)</b>	Depression, Fatigue-Psychostimulant	<b>BASE</b>
Metoclopramide	<b>Reglan</b>	Hiccups, Nausea & Vomiting	<b>BASE</b>
Metolazone	<b>Zaroxolyn</b>	Fluid Retention-Thiazide Diuretic	<b>BASE</b>
Metoprolol	<b>Lopressor, Toprol XL</b>	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Metoprolol/Hctz	<b>Lopressor HCT</b>	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Metronidazole	<b>Flagyl</b>	Infection-Bacterial	<b>BASE</b>
<b>Milk of Magnesia</b>	Magnesium Hydroxide Suspension	Constipation-Osmotic Laxative	<b>BASE</b>
<b>Mineral Oil Enema</b>	Mineral Oil Enema	Constipation-Lubricant	<b>BASE</b>
<b>Miralax OTC</b>	Polyethylene Glycol	Osmotic Laxative	<b>BASE</b>
<b>Mirapex</b>	Pramipexole (NO ER)	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
Mirtazapine	<b>Remeron</b>	Anorexia, Depression, Insomnia-Atypical Antidepressant	<b>BASE</b>
<b>Monodox</b>	Doxycycline	Infection-Bacterial	<b>BASE</b>
<b>Monoket</b>	Isosorbide Mononitrate	Vasodilators	<b>CARDIAC/LIVER</b>
Morphine	<b>Roxanol, MS Contin, MSIR (NO KADIAN OR AVINZA)</b>	Pain, Dyspnea-Opioid	<b>BASE</b>
<b>MS Contin</b>	Morphine ER (NO KADIAN OR AVINZA)	Pain, Dyspnea-Opioid	<b>BASE</b>
<b>MSIR</b>	Morphine IR	Pain, Dyspnea-Opioid	<b>BASE</b>
<b>Motrin, Advil</b>	Ibuprofen	Fever, Pain-Nonsteroidal Anti-Inflammatory Drug	<b>BASE</b>
<b>Mucinex</b>	Guaifenesin SR	Cough-Expectorant	<b>BASE</b>
<b>Mycolog</b>	Nystatin/Triamcinolone Cream	Topical-Antifungal/Corticosteroid	<b>BASE</b>
Myconazole Cream, Powder	<b>Baza, Zeasorb AF</b>	Topical Antifungal	<b>BASE</b>
<b>Mycostatin</b>	Nystatin	Infection-Fungal	<b>BASE</b>
<b>Mylanta</b>	Aluminum/Magnesium Hydroxide	Gastrointestinal-Antacid	<b>BASE</b>
<b>Mylicon</b>	Simethicone	Gastrointestinal-Gas	<b>BASE</b>
Nadolol	<b>Corgard</b>	Beta Adrenergic Blockers	<b>LIVER</b>
<b>Naprosyn</b>	Naproxen (IR ONLY)	Pain-Nonsteroidal Anti-Inflammatory Drug	<b>BASE</b>
Naproxen	<b>Naprosyn (IR ONLY)</b>	Pain-Nonsteroidal Anti-Inflammatory Drug	<b>BASE</b>
Neomycin/Polymyxin/Bacitracin	<b>Neosporin</b>	Topical-Anti-infective	<b>BASE</b>
<b>Neosporin</b>	Neomycin/Polymyxin/Bacitracin	Topical-Anti-infective	<b>BASE</b>
<b>Neurontin</b>	Gabapentin	Neuropathic Pain-Antiepileptic	<b>BASE</b>
Nifedipine	<b>Procardia</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Nisoldipine	<b>Sular</b>	Calcium Channel Blockers	<b>STROKE</b>
Nitrofurantoin	<b>Macrochantin, Macrobid</b>	Infection-Bacterial	<b>BASE</b>
Nitroglycerin	<b>NitroMist, Nitro-Bid, NitroDur, Nitrostat</b>	Antianginal Agents	<b>CARDIAC</b>

Generic/Brand Drug Name	Generic/Brand Drug Name	Indication/Drug Class	Formulary
<b>NitroMist, Nitro-Bid, NitroDur, Nitrostat</b>	Nitroglycerin	Antianginal Agents	<b>CARDIAC</b>
<b>Norco</b>	Hydrocodone/Acetaminophen	Nociceptive Pain-Combination Opioid/Nonopioid	<b>BASE</b>
<b>Normodyne</b>	Labetalol	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Norpramin</b>	Desipramine	Neuropathic Pain-Tricyclic Antidepressant	<b>BASE</b>
Nortriptyline	<b>Pamelor</b>	Neuropathic Pain-Tricyclic Antidepressant	<b>BASE</b>
<b>Norvasc</b>	Amlodipine	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Nystatin	<b>Mycostatin/Nystop</b>	Topical Antifungal	<b>BASE</b>
Nystatin Oral Suspension	<b>Nystatin</b>	Infection-Fungal	<b>BASE</b>
Nystatin/Triamcinolone Cream	<b>Mycolog</b>	Topical-Antifungal/Corticosteroid	<b>BASE</b>
Olmesartan	<b>Benicar</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
Olmesartan/Hctz	<b>Benicar HCT</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
Omeprazole OTC	<b>Prilosec OTC</b>	Gastrointestinal-Proton Pump Inhibitor	<b>BASE</b>
Ophthalmic Lubricant	<b>Lacrilube</b>	Dry Eyes-Lubricant	<b>BASE</b>
<b>Oretic</b>	Hydrochlorothiazide	Thiazide Diuretics	<b>CARDIAC/STROKE</b>
Oxazepam	<b>Serax</b>	Benzodiazepine	<b>LIVER</b>
Oxybutynin	<b>Ditropan (IR ONLY)</b>	Genitourinary-Bladder Spasms-Anticholinergic	<b>BASE</b>
Oxycodone IR	<b>Roxicodone (NO SUSTAINED RELEASE)</b>	Dyspnea, Pain-Opioid	<b>BASE</b>
<b>Oxyfast</b>	Oxycodone Soln ( <b>NO SUSTAINED RELEASE</b> )	Dyspnea, Pain-Opioid	<b>BASE</b>
Oxycodone/Acetaminophen	<b>Percocet</b>	Nociceptive Pain-Combination Opioid/Nonopioid	<b>BASE</b>
<b>Pacerone</b>	Amiodarone	Antiarrhythmic Agent	<b>CARDIAC</b>
<b>Pamelor</b>	Nortriptyline	Neuropathic Pain-Tricyclic Antidepressant	<b>BASE</b>
<b>Pancrease</b>	Pancrelipase	Pancreatic Enzymes	<b>CANCER</b>
Pancrelipase	<b>Pancrease, Creon</b>	Pancreatic Enzymes	<b>CANCER</b>
<b>Pepcid</b>	Famotidine ( <b>NO ORAL LIQ</b> )	Gastrointestinal-H2 Antagonist	<b>BASE</b>
<b>Percocet</b>	Oxycodone/Acetaminophen	Nociceptive Pain-Combination Opioid/Nonopioid	<b>BASE</b>
Petroleum Jelly	<b>Vaseline</b>	Constipation-Lubricant	<b>BASE</b>
Phenazopyridine	<b>Pyridium</b>	Genitourinary-Urinary Analgesic	<b>BASE</b>
<b>Phenergan</b>	Promethazine	Nausea & Vomiting-Chemoreceptor Trigger Zone-Phenothiazine	<b>BASE</b>
Phenobarbital	<b>Luminal</b>	Agitation, Seizures-Barbiturate	<b>BASE</b>
Phenytoin	<b>Dilantin</b>	Seizures-Maintenance	<b>BASE</b>
<b>Plendil</b>	Felodipine	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Polyethylene Glycol	<b>Miralax OTC</b>	Osmotic Laxative	<b>BASE</b>
Potassium Chloride	<b>Klor-Con, K-Dur</b>	Cardiac-Potassium Supplement	<b>BASE</b>
Pramipexole	<b>Mirapex (NO ER)</b>	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
Prednisone	<b>Deltasone</b>	Anorexia, Fatigue, Pain, Pruritus, Respiratory Anti-Inflammatory-Corticosteroid	<b>BASE</b>
Pregabalin	<b>Lyrica</b>	Neuropathic Pain-Antiepileptic	<b>BASE</b>
<b>Prilosec OTC</b>	Omeprazole OTC	Gastrointestinal-Proton Pump Inhibitor	<b>BASE</b>
<b>Prinivil</b>	Lisinopril	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Prinzide</b>	Lisinopril/Hctz	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Procardia</b>	Nifedipine	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Prochlorperazine	<b>Compazine</b>	Nausea & Vomiting: Chemoreceptor Trigger Zone-Phenothiazine	<b>BASE</b>

Generic/Brand Drug Name	Generic/Brand Drug Name	Indication/Drug Class	Formulary
Promethazine	<b>Phenergan</b>	Nausea & Vomiting- Chemoreceptor Trigger Zone- Phenothiazine	<b>BASE</b>
Propranolol	<b>Inderal</b>	Beta Adrenergic Blockers	<b>CARDIAC/STROKE/LIVER</b>
<b>Proventil</b>	Albuterol	Beta Agonist Bronchodilator	<b>BASE</b>
<b>Prozac</b>	Fluoxetine ( <b>NO WEEKLY</b> )	Depression-Selective Serotonin Reuptake Inhibitor	<b>BASE</b>
Psyllium	<b>Metamucil</b>	Diarrhea-Absorbent-Bulk Laxative	<b>BASE</b>
<b>Pyridium</b>	Phenazopyridine	Genitourinary-Urinary Analgesic	<b>BASE</b>
<b>Qvar</b>	Beclomethasone	Corticosteroids - Inhaled	<b>PULMONARY</b>
Quetiapine	<b>Seroquel (NO XR)</b>	Atypical Antipsychotics	<b>NEUROMUSCULAR/ DEMENTIA</b>
Quinapril	<b>Accupril</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Quinapril/Hctz	<b>Accuretic</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Ramipril	<b>Altace</b>	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Ranitidine	<b>Zantac (NO ORAL LIQ)</b>	Gastrointestinal-H2 Antagonist	<b>BASE</b>
<b>Reglan</b>	Metoclopramide	Hiccups, Nausea & Vomiting	<b>BASE</b>
<b>Remeron</b>	Mirtazapine	Anorexia, Depression, Insomnia- Atypical Antidepressant	<b>BASE</b>
<b>Requip</b>	Ropinirole ( <b>NO XL</b> )	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
<b>Restoril</b>	Temazepam ( <b>NO 7.5 OR 22.5 MG</b> )	Insomnia-Benzodiazepine	<b>BASE</b>
Risperidone	<b>Risperdal</b>	Atypical Antipsychotics	<b>DEMENTIA</b>
<b>Risperdal</b>	Risperidone	Atypical Antipsychotics	<b>DEMENTIA</b>
<b>Ritalin</b>	Methylphenidate ( <b>NO CR</b> )	Depression, Fatigue- Psychostimulant	<b>BASE</b>
<b>Robinul</b>	Glycopyrrolate	Nausea & Vomiting, Secretions- Anticholinergic	<b>BASE</b>
<b>Robitussin</b>	Guaifenesin	Cough-Expectorant	<b>BASE</b>
<b>Robitussin AC</b>	Guaifenesin/Codeine	Cough-Expectorant/Suppressant	<b>BASE</b>
<b>Robitussin DM</b>	Guaifenesin/Dextromethorphan	Cough-Expectorant/Suppressant	<b>BASE</b>
Ropinirole	<b>Requip (NO XL)</b>	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
<b>Roxanol</b>	Morphine IR	Pain, Dyspnea-Opioid	<b>BASE</b>
<b>Roxicodone</b>	Oxycodone IR ( <b>NO SUSTAINED RELEASE</b> )	Pain, Dyspnea-Opioid	<b>BASE</b>
Saline-Nebulized	Saline-Nebulized	Respiratory-Humidifier	<b>BASE</b>
Salmeterol Xinafoate	<b>Serevent Diskus</b>	Beta Adrenergic Agonists	<b>PULMONARY</b>
Salmeterol-Fluticasone	<b>Advair</b>	Beta Adrenergic Agonist/Corticosteroid	<b>PULMONARY</b>
<b>Sarna Lotion</b>	Camphor/Menthol Lotion	Topical-Antipruritic	<b>BASE</b>
Scopolamine Patch	<b>Transderm Scop</b>	Nausea & Vomiting, Secretions- Anticholinergic	<b>BASE</b>
Selegiline	<b>Eldepryl (NO EMSAM OR ZELAPAR)</b>	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
Senna	<b>Senokot</b>	Constipation-Stimulant Laxative	<b>BASE</b>
Senna/Docusate Sodium	<b>Senokot S</b>	Constipation-Stimulant and Softener Combination	<b>BASE</b>
<b>Senokot</b>	Senna	Constipation-Stimulant Laxative	<b>BASE</b>
<b>Senokot S</b>	Senna/Docusate Sodium	Constipation-Stimulant and Softener Combination	<b>BASE</b>
<b>Serax</b>	Oxazepam	Benzodiazepine	<b>LIVER</b>
<b>Serevent Diskus</b>	Salmeterol Xinafoate	Beta Adrenergic Agonists	<b>PULMONARY</b>
<b>Seroquel</b>	Quetiapine ( <b>NO XR</b> )	Atypical Antipsychotics	<b>NEUROMUSCULAR/ DEMENTIA</b>
Sertraline	<b>Zoloft</b>	Depression-Selective Serotonin Reuptake Inhibitor	<b>BASE</b>
<b>Silvadene</b>	Silver Sulfadiazine Cream	Topical-Burn & Antibacterial	<b>BASE</b>
Silver Sulfadiazine Cream	<b>Silvadene</b>	Topical-Burn & Antibacterial	<b>BASE</b>
Simethicone	<b>Mylicon</b>	Gastrointestinal-Gas	<b>BASE</b>
<b>Sinemet</b>	Levodopa/Carbidopa	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
<b>Sinequan</b>	Doxepin ( <b>NO SILENOR</b> )	Neuropathic Pain, Pruritus- Tricyclic Antidepressant	<b>BASE</b>

Generic/Brand Drug Name	Generic/Brand Drug Name	Indication/Drug Class	Formulary
Sodium Chloride 0.9%	<b>Ocean Spray, Saline</b>	Injection, Irrigation, Nasal Spray	<b>BASE</b>
Sodium Phosphate Enema	<b>Fleet Enema</b>	Constipation-Osmotic Laxative	<b>BASE</b>
Sorbitol 70% Soln	<b>Sorbitol</b>	Constipation-Osmotic Laxative	<b>BASE</b>
<b>Spiriva</b>	Tiotropium	Pulmonary-Anticholinergic	<b>PULMONARY</b>
Spironolactone	<b>Aldactone</b>	Fluid Retention-Potassium Sparing Diuretic	<b>BASE</b>
<b>Stalevo</b>	Levodopa/Carbidopa/Entacapone	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
Sucralfate	<b>Carafate</b>	Gastrointestinal-Protectant	<b>BASE</b>
<b>Sular</b>	Nisoldipine	Calcium Channel Blockers	<b>STROKE</b>
Sulfamethoxazole/Trimethoprim	<b>Bactrim</b>	Infection-Bacterial	<b>BASE</b>
<b>Sween</b>	Vitamin A & D Cream	Topical-Emollient	<b>BASE</b>
<b>Symmetrel</b>	Amantadine	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
<b>Tegretol</b>	Carbamazepine	Neuropathic Pain, Seizures-Antiepileptic	<b>BASE</b>
Temazepam	<b>Restoril (NO 7.5 OR 22.5 MG)</b>	Insomnia-Benzodiazepine	<b>BASE</b>
<b>Tenormin</b>	Atenolol	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Tenoretic</b>	Atenolol/Chlorthalidone	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Terazosin	<b>Hytrin</b>	Alpha Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Tessalon Perles</b>	Benzonate	Cough-Antitussive	<b>BASE</b>
<b>Theo-Dur</b>	Theophylline ( <b>SINGLE AGENT PRODUCTS ONLY</b> )	Pulmonary-Xanthines	<b>PULMONARY</b>
Theophylline	<b>Theo-Dur (SINGLE AGENT PRODUCTS ONLY)</b>	Pulmonary-Xanthines	<b>PULMONARY</b>
Thickening Agent	<b>Thick-It</b>	Dysphagia	<b>BASE</b>
<b>Thick-It</b>	Thickening Agent	Dysphagia	<b>BASE</b>
<b>Thorazine</b>	Chlorpromazine	Agitation, Hiccups, Nausea & Vomiting-Phenothiazine	<b>BASE</b>
Thymol/Menthol Ointment	<b>Calmoseptine</b>	Topical-Protectant	<b>BASE</b>
<b>Tigan</b>	Trimethobenzamide	Antiemetics-Antihistamine	<b>NEUROMUSCULAR</b>
Tiotropium	<b>Spiriva</b>	Pulmonary-Anticholinergics	<b>PULMONARY</b>
Tizanidine	<b>Zanaflex</b>	Antispasmodics	<b>NEUROMUSCULAR</b>
<b>Toprol XL</b>	Metoprolol Succinate	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
Tramadol	<b>Ultram (REGULAR RELEASE ONLY)</b>	Pain-Opioid	<b>BASE</b>
<b>Transderm Scop</b>	Scopolamine Patch	Nausea & Vomiting, Secretions-Anticholinergic	<b>BASE</b>
Trazodone	<b>Desyrel (NO XR)</b>	Insomnia-Antidepressant	<b>BASE</b>
<b>Tribenzor</b>	Amlodipine/Olmesartan/Hctz	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
Trihexyphenidyl	<b>Artane</b>	Parkinson's Disease Agents	<b>NEUROMUSCULAR</b>
<b>Trilisate</b>	Choline Magnesium Trisalicylate	Pain-Salicylate Anti-Inflammatory	<b>BASE</b>
Trimethobenzamide	<b>Tigan</b>	Antiemetics-Antihistamine	<b>NEUROMUSCULAR</b>
<b>Tylenol</b>	Acetaminophen	Fever, Pain-Nonopioid	<b>BASE</b>
<b>Ultram</b>	Tramadol ( <b>REGULAR RELEASE ONLY</b> )	Pain-Opioid	<b>BASE</b>
<b>Urecholine</b>	Bethanechol	Genitourinary-Cholinergic	<b>BASE</b>
<b>Valium</b>	Diazepam ( <b>NO DIASTAT</b> )	Anxiety, Dyspnea, Muscle Spasms, Nausea & Vomiting, Seizures-Benzodiazepine	<b>BASE</b>
Valproic Acid/Divalproex	<b>Depakene/Depakote (NO STAVZOR)</b>	Seizures-Maintenance-Antiepileptic	<b>BASE</b>
Valsartan	<b>Diovan</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
Valsartan/Hctz	<b>Diovan HCT</b>	Angiotensin Receptor Blockers	<b>CARDIAC/STROKE</b>
<b>Vaseline</b>	Petroleum Jelly	Constipation-Lubricant	<b>BASE</b>
<b>Vasotec</b>	Enalapril, Enalaprit	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Vasoretic</b>	Enalapril/Hctz	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Verapamil	<b>Calan</b>	Calcium Channel Blockers	<b>CARDIAC/STROKE</b>
<b>Vibramycin</b>	Doxycycline	Infection-Bacterial	<b>BASE</b>
<b>Vicodin, Vicodin ES</b>	Hydrocodone/Acetaminophen	Nociceptive Pain-Combination Opioid/Nonopioid	<b>BASE</b>
<b>Vistaril</b>	Hydroxyzine Pamoate	Anxiety, Pruritus-Antihistamine	<b>BASE</b>

Generic/Brand Drug Name	Generic/Brand Drug Name	Indication/Drug Class	Formulary
Vitamin A & D Cream	<b>Sween</b>	Topical-Emollient	<b>BASE</b>
Vitamin K	<b>Mephyton, AquaMephyton</b>	Coagulants	<b>LIVER</b>
Warfarin	<b>Coumadin</b>	Anticoagulants	<b>CANCER/CARDIAC/STROKE</b>
<b>Xanax</b>	Alprazolam (NO XR OR ODT)	Anxiety, Dyspnea, Insomnia, Nausea & Vomiting- Benzodiazepine	<b>BASE</b>
<b>Xylocaine</b>	Lidocaine Inj for Nebulization	Cough-Suppressant	<b>BASE</b>
<b>Xylocaine Viscous</b>	Lidocaine	Pain-Pharyngeal	<b>BASE</b>
<b>Zanaflex</b>	Tizanidine	Antispasmodics	<b>NEUROMUSCULAR</b>
<b>Zantac</b>	Ranitidine (NO ORAL LIQ)	Gastrointestinal-H2 Antagonist	<b>BASE</b>
<b>Zaroxolyn</b>	Metolazone	Fluid Retention-Thiazide Diuretic	<b>BASE</b>
<b>Zeasorb AF</b>	Myconazole Cream, Powder	Topical Antifungal	<b>BASE</b>
<b>Zebeta</b>	Bisoprolol	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Ziac</b>	Bisoprolol/Hctz	Beta Adrenergic Blockers	<b>CARDIAC/STROKE</b>
<b>Zestril</b>	Lisinopril	ACE Inhibitors	<b>CARDIAC/STROKE</b>
<b>Zestoretic</b>	Lisinopril/Hctz	ACE Inhibitors	<b>CARDIAC/STROKE</b>
Zinc Oxide + Dimethicone	<b>Baza Protect</b>	Topical-Protectant	<b>BASE</b>
Zinc Oxide Ointment	<b>Desitin</b>	Topical-Protectant	<b>BASE</b>
<b>Zithromax</b>	Azithromycin	Infection-Bacterial	<b>BASE</b>
<b>Zoloft</b>	Sertraline	Depression-Selective Serotonin Reuptake Inhibitor	<b>BASE</b>
<b>Zovirax</b>	Acyclovir (ORAL ONLY)	Infection-Antiviral	<b>BASE</b>
<b>Please Note: Unless otherwise noted, all strengths and dosage forms of listed medications are covered on both the Base List and Diagnosis Specific Categories.</b>			